

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	95	(backup or (back\$3 near2 up)) same (size near2 (limit\$1 or threshold\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:12
L4	31	L3 and client\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:13
L5	14	4 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:54
L6	274	quota and (backup or (back\$3 near2 up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:58
L7	0	(compar\$3 with client with file with size\$1) same backup	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:56
L8	2	(compar\$3 with client with file with size\$1) same (backup or (back\$3 near2 up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:57
L9	2	(compar\$3 with total with file with size) same (backup or (back\$3 near2 up)) same client\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:58
L10	0	"backup quota limit"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 12:58
L11	12	quota with (backup or (back\$3 near2 up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:00
L12	295	(backup or (back\$3 near2 up)) with (client\$1 or user\$1) with limit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:01

L13	326	((backup or (back\$3 near2 up)) with (client\$1 or user\$1) with (limit\$3 or threshold\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:02
L14	2	((backup or (back\$3 near2 up)) with (client\$1 or user\$1) with (limit\$3 or threshold\$1)) same (compar\$5 with size\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:02
L15	0	"quota backup"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:02
L16	66	(backup or (back\$3 near2 up)) same (compar\$3 with (limit\$1 or size\$1 or threshold\$1)) same (client\$1 or user\$1 or terminal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:07
L17	7	16 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:07
L18	3	16 and "711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:06
L19	28	(backup or (back\$3 near2 up)) same (compar\$3 with threshold\$1) same (client\$1 or user\$1 or terminal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:10
L20	1	19 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:07
L21	146	(backup or (back\$3 near2 up)) with threshold\$1 with (client\$1 or user\$1 or terminal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:13
L22	5	21 and 707/204.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:14

L23	9	21 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:13
L24	4	21 and "711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:13
L25	531	(backup or (back\$3 near2 up)) same threshold\$1 same (client\$1 or user\$1 or terminal\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:14
L26	17	25 and 707/204.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:19
L27	0	(client near2 (backup or (back\$3 near2 up))) same threshold\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:20
L28	551	(client near2 (backup or (back\$3 near2 up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:20
L29	45	((client\$1 or user\$1 or terminal\$1) near2 (backup or (back\$3 near2 up))) same threshold\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:21
L30	45	((client\$1 or user\$1 or terminal\$1) near2 (backup or (back\$3 near2 up))) same threshold\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:27
L31	4	30 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:29
L32	2	30 and "711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:22

L33	48	((client\$1 or user\$1 or terminal\$1) near2 (backup or (back\$3 near2 up))) same ((size near2 limit\$1) or threshold\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:29
L34	6	33 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:28
L35	73	((client\$1 or user\$1 or terminal\$1) near2 (backup or (back\$3 near2 up))) same ((size near2 limit\$1) or threshold\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:38
L36	6	35 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:29
L37	2	35 and "711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:29
L38	1	(backup or (back\$3 near2 up)) same client-server same ((threadhold\$1 or size\$1) near2 limit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:46
L39	3	(backup or (back\$3 near2 up)) same client\$1 same ((threadhold\$1 or size\$1) near2 limit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:47
L40	3	(backup or (back\$3 near2 up)) same client\$1 same (threadhold\$1 or (size\$1 near2 limit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:48
L41	3	((backup or (back\$3 near2 up)) with client\$1) same (threadhold\$1 or (size\$1 near2 limit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:49
L42	2	((backup or (back\$3 near2 up)) with (threadhold\$1 or (size\$1 near2 limit\$1))) same client\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:50

L43	16	((backup or (back\$3 near2 up)) with (threadhold\$1 or (size\$1 near2 limit\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:25
L44	1	(backup or (back\$3 near2 up)) same (threadhold\$1 or (size\$1 near2 limit\$1)) same (compar\$3 with client with file with size\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:56
L45	1	(backup or (back\$3 near2 up)) same (threadhold\$1 or (size\$1 near2 limit\$1)) same (client near2 system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:57
L46	1	(backup or (back\$3 near2 up)) same (compar\$3 with file with size\$1 with (threadhold\$1 or (size\$1 near2 limit\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 13:58
L47	1	(backup or (back\$3 near2 up)) same (compar\$3 with file with size\$1 with (threadhold\$1 or (size\$1 near2 limit\$1))) same ((computer\$1 or client\$1) near2 device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:00
L48	1051	(backup or (back\$3 near2 up)) with ((computer\$1 or client\$1) near2 device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:38
L49	1	48 and (compar\$3 with file with size\$1 with (threadhold\$1 or (size\$1 near2 limit\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:00
L50	1	(backup or (back\$3 near2 up)) with ((computer\$1 or client\$1) near2 device\$1) same (threadhold\$1 or (size near2 limit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:07
L51	1	((backup or (back\$3 near2 up)) with ((computer\$1 or client\$1) near2 device\$1)) same (compar\$3 with (threadhold\$1 or (size near2 limit\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:08
L52	1	((backup or (back\$3 near2 up)) with ((computer\$1 or client\$1) near2 device\$1)) and (compar\$3 with (threadhold\$1 or (size near2 limit\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:08

L53	0	((backup or (back\$3 near2 up)) with ((computer\$1 or client\$1) near2 device\$1)) and (compar\$3 with (threadhold\$1 or (backup near2 limit\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:09
L54	16	((backup or (back\$3 near2 up)) with ((computer\$1 or client\$1) near2 device\$1)) and (compar\$3 with (threadhold\$1 or limit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:15
L55	2	(backup or (back\$3 near2 up)) with ((computer\$1 or client\$1) near2 device\$1) with limit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:16
L56	1	(backup or (back\$3 near2 up)) same ((computer\$1 or client\$1) near2 device\$1) same (size\$1 near2 limit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:18
L57	16	(backup or (back\$3 near2 up)) with ((size\$1 near2 limit\$1) or threadhold\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:18
L58	7	57 and ((client or computer\$1) near2 device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:20
L59	3	57 and (client\$1 near2 (computer\$1 or device\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:20
L60	4	(backup or (back\$3 near2 up)) same (client\$1 or server\$1) same (threadhold\$1 or (size\$1 near2 limit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:26
L61	11	(backup or (back\$3 near2 up)) with ((computer\$1 or client\$1) near2 device\$1) with size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:39
L62	1	(backup or (back\$3 near2 up)) with ((computer\$1 or client\$1) near2 device\$1) with (file near2 size\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:40

L63	408	(backup or (back\$3 near2 up)) with (client\$1 near2 (computer\$1 or device\$\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:41
L64	3	63 and (threadhold\$1 or (size near2 limit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:42
L65	49	63 and 707/204.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 14:42